




Doors
Doors
Doors

We have a super selection of doors in stock.
And special orders are always welcome!


<p>Series 5210 House Type Series 5140 Outswing</p>  <p>5140 Outswing 5210 Combo</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Blank</p> </div> <div style="text-align: center;">  <p>4"x24"</p> </div> <div style="text-align: center;">  <p>5140 Only</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>9-Lite</p> </div> <div style="text-align: center;">  <p>Diamond</p> </div> </div>	<p>Series 7660 Steel House Type</p>  <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>6-panel</p> </div> <div style="text-align: center;">  <p>9-lite</p> </div> <div style="text-align: center;">  <p>Square Bevel</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>2-lite</p> </div> <div style="text-align: center;">  <p>Etched Oval</p> </div> <div style="text-align: center;">  <p>Brass Oval</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;">  <p>Brass Half Round</p> </div> <div style="text-align: center;">  <p>Sunburst</p> </div> <div style="text-align: center;">  <p>Brass Round Top</p> </div> </div>	<p>Storm Doors</p>  <p>Full View</p>  <p>Self-Storing Storm Buster</p>
--	--	---




Lip Doors
Series #5140

Window Options


SIZE		Window Options		
		Blank no window	Picture Window 4" x 24"	Slider Window 14" x 27"
24 X 70	LH	202-111-W	200-111-W	200-311-W
	RH	202-211-W	200-011-W	200-211-W
24 X 72	LH	202-112-W	200-112-W	200-312-W
	RH	202-212-W	200-012-W	200-212-W
28 X 70	LH	202-131-W	200-131-W	200-331-W
	RH	202-231-W	200-031-W	200-231-W
28 X 72	LH	202-132-W	200-132-W	200-332-W
	RH	202-232-W	200-032-W	200-232-W
30 X 72	LH	202-142-W*	200-142-W*	200-342-W*
	RH	202-242-W	200-042-W	200-242-W
30 X 74	LH	202-143-W	200-143-W	200-343-W
	RH	202-243-W	200-043-W	200-243-W
30 X 76	LH	202-144-W	200-144-W	200-344-W
	RH	202-244-W	200-044-W	200-244-W
30 X 78	LH	202-145-W	200-145-W	200-345-W
	RH	202-245-W	200-045-W	200-245-W
32 X 72	LH	202-152-W*	200-152-W*	200-352-W*
	RH	202-252-W*	200-052-W*	200-252-W*
32 X 74	LH	202-153-W	200-153-W*	200-353-W*
	RH	202-253-W	200-053-W	200-253-W
32 X 76	LH	202-154-W*	200-154-W*	200-354-W*
	RH	202-254-W	200-054-W*	200-254-W*
32 X 78	LH	202-155-W	200-155-W	200-355-W
	RH	202-255-W	200-055-W	200-255-W
34 X 72	LH	202-162-W	200-162-W	200-362-W
	RH	202-262-W	200-062-W	200-262-W
34 X 74	LH	202-163-W	200-163-W	200-363-W
	RH	202-263-W	200-063-W	200-263-W
34 X 76	LH	202-164-W*	200-164-W*	200-364-W*
	RH	202-264-W	200-064-W	200-264-W*
34 X 78	LH	202-165-W	200-165-W	200-365-W
	RH	202-265-W	200-065-W	200-265-W
34 X 80	LH	202-166-W	200-166-W	200-366-W
	RH	202-266-W	200-066-W	200-266-W
36 X 78	LH	202-175-W	200-175-W	200-375-W
	RH	202-275-W	200-075-W	200-275-W
36 X 80	LH	202-176-W	200-176-W	200-376-W
	RH	202-276-W	200-076-W	200-276-W



Blank



Picture



Slider

SERIES 5140 OUTSWING DOOR

The 5140 is an outswing entry door that combines beauty, durability & efficiency.

Standard Features:

- Strong welded aluminum frame with weather baffle
- Continuous hinge
- Effective insulating foam core
- High density foam lock block
- Knob/Knob lock set
- White embossed fiberglass interior
- White embossed fiberglass exterior
- Double seal—bulb vinyl on all four sides for the primary sealing system. Extruded flap vinyl on all four sides of the frame form the secondary seal.

Options include:

- Deadbolt lock
- Brass lock set and deadbolt

Special Orders Available
Please measure accurately as all door sales are final

Picture Window 4 x24 for 5140 & 5210 door **243-120**

9-Lite Window for 5140 & 5210 door **243-122**

*denotes stock item
(stock doors come with 4x24 window)

The rough opening of the door is equal to the call size, listed herein as "SIZE". To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.



**5210 Series
Combination
Doors**



SERIES 5210 INSWING COMBO DOOR

The 5210 is an inswing entry door that combines beauty, durability & efficiency.

Standard Features:

- Galvanized steel frame which is precambered on lock side to promote a tighter seal
- Heavy, damage-resistant panels are securely bonded to the core
- Effective insulating foam core
- High density foam lock block
- Knob/Knob lock set
- Prefinished jamb system
- Double leaf sill sweep
- Self-storing heavy duty aluminum framed storm door with stainless steel bushings in hinges

Options include:

- Deadbolt lock
- Brass lock set and deadbolt
- Jamb sets for 6" wall depth
- 5900 1-1/4" Storm Buster Storm Door


Special Orders Available
Please measure accurately as
all door sales are final

Picture Window 4 x24 for 5140 & 5210 door 243-120
9-Lite Window for 5140 & 5210 door 243-122

SIZE	Jamb & Storm Options		
	4" Jamb w/1-1/4"	6" Jamb w/1-1/4"	4" Jamb w/1"
	White Storm	White Storm	Mill Storm
32 X 72	LH	205-752-W*	205-552-W
	RH	205-652-W	205-452-W
32 X 74	LH	205-753-W	205-553-W
	RH	205-653-W	205-453-W
32 X 76	LH	205-754-W*	205-554-W
	RH	205-654-W*	205-454-W
32 X 78	LH	205-755-W*	205-555-W
	RH	205-655-W	205-455-W
32 X 80	LH	205-756-W	205-556-W
	RH	205-656-W	205-456-W
34 X 74	LH	205-763-W	205-563-W
	RH	205-663-W	205-463-W
34 X 76	LH	205-764-W*	205-564-W
	RH	205-664-W*	205-464-W
34 X 78	LH	205-765-W*	205-565-W
	RH	205-665-W*	205-465-W
34 X 80	LH	205-766-W*	205-566-W
	RH	205-666-W*	205-466-W
36 X 80	LH	205-776-W	205-576-W
	RH	205-676-W	205-476-W
38 X 78	LH	205-785-W	205-585-W
	RH	205-685-W	205-485-W
38 X 80	LH	205-786-W	205-586-W
	RH	205-686-W	205-486-W

*denotes stock item
(stock doors come with 4x24 window)

The rough opening of the door is equal to the call size, listed herein as "SIZE". To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.



Blank 4"x24" 9-Lite Diamond



**7660 Series
Steel
Combination
Doors**



SERIES 7660 HOUSE TYPE STEEL DOOR

The 7660 Series Door is completely prehung & ready to install. It is an efficient thermal entrance system for manufactured homes.

Standard Features:

- 25 Gauge steel door core
- Prefinished jamb system
- Metal blind stop with residential style Q-Lon weatherstrip located on three sides
- Thermally broken threshold
- Four Leaf sill sweep
- Knob/Knob lock set with deadbolt
- Self-storing heavy duty aluminum framed storm door with stainless steel bushings in hinges

Options include:

- Stainless steel lock set and deadbolt
- Bright Brass knocker/viewer
- Jamb sets for 6" wall depth
- 5900 1-1/4" Storm Buster Storm Door

Special Orders Available
Please measure accurately as
all door sales are final

SIZE	1-1/4" White Storm Buster Storm Door	
	4" Jamb	6" Jamb
	34 X 76	LH
RH		207-864
34 X 78	LH	207-965
	RH	
34 X 80	LH	207-966*
	RH	207-866
38 X 80	LH	207-986
	RH	207-886

*denotes stock item

The rough opening of the door is equal to the call size, listed herein as "SIZE". To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.





Series 5900 Storm Buster Storm Door



Special Orders Available
Please measure accurately as all door sales are final

SERIES 5900 STORM BUSTER STORM DOOR

The Storm Buster Series Storm Doors are an efficient compliment to most of the residential entry doors.

Standard Features:

- Wide frame on storm leaf profile
- Lip overrides Z-bar
- Full length galvanized hinge pins with stainless steel bushings
- Safety glass
- Fiberglass screening
- Top quality hardware
- Heavy duty kick plate

SIZE	White 1-1/4" Storm Door	
32 x 72	LH	206-752
	RH	206-652
32 x 74	LH	206-753
	RH	206-653
32 X 76	LH	206-754
	RH	206-654
32 X 78	LH	206-755
	RH	206-655
32 X 80	LH	206-756
	RH	206-656
34 X 74	LH	206-763
	RH	206-663
34 X 74	LH	206-764*
	RH	206-664*
34 X 78	LH	206-765
	RH	206-665
34 X 80	LH	206-766*
	RH	206-666
36 X 80	LH	206-776
	RH	206-676
38 X 78	LH	206-785
	RH	206-685
38 X 80	LH	206-786*
	RH	206-686*

*denotes stock item

The rough opening of the door is equal to the call size, listed herein as "SIZE". To determine if the door is a LEFT or RIGHT hinge, look at the door from the outside to see which side the hinges are on.

Vinyl Patio Door

SERIES 1600 SLIDING PATIO DOOR

Standard Features:

- Lap frame with integral siding pocket that eliminates the need for additional siding trim pieces
- Heat fusion welded frame and moving panel provides superior structural strength and prevents potential leakage.
- Staggered internal weep system allows minimum dust infiltration.
- Snap-in moving panel track with stainless steel roller guide cover designed to hold up with heavy use.
- Door easily reverses from XO to OX or OX to XO (X = moves)



SIZE	XO	OX
72 x 76	202-306	202-307

Interior Doors

Hollow Core, Light Oak color, blank. No hole drilled.



- 202-640 24"x78" Door
- 202-641 26"x78" Door
- 202-642 28"x78" Door
- 202-643 30"x78" Door

Water Heater Doors

- Blank
- Extruded outer aluminum frame
- Extruded lip around exterior perimeter of Door



- 201-801 20"x60" Door
- 201-805 23"x60" Door

Bargain Bin

Call Your Sales Rep Today
To See What Is In the Bargain Bin!
Items are always changing!

Special Requests

Call Your Sales Rep Today
If You Are Looking For Something
And not finding it in our catalog!



Series 9750 Vinyl Tilt-Out Windows

SERIES 9750 VINYL TILT-OUT WINDOW
Precisely-sized for factory built housing requirements.
Fast, easy and efficient installation



Standard Features:

- Vinyl construction provides high thermal performance.
- Frame and sash corners are welded for added strength and water tight corners.
- Dual weather seal to reduce drafts and enhance energy efficiency.
- Integral "J" trim eliminates the need for additional exterior frame accessories and covers the raw edge of the siding for a clean appearance.

Width	Height	Vertical Sliding		
		Part # .49 Clear	Part # .35 Low-E	Part # .30 Energy Star
14"	27"	244-002K	245-002K	246-002K *
	40"	244-005K	245-005K	246-005K
24"	40"	244-025K	245-025K	246-025K *
	27"	244-032K	245-032K	246-032K *
30"	40"	244-035K	245-035K	246-035K *
	53.875"	244-037K	245-037K	246-037K *
36"	53.875"	244-047K	245-047K	246-047K *
	40"	27"	244-052K	245-052K
40"		244-055K	245-055K	246-055K
46.25"	27"	244-062K	245-062K	246-062K *
	40"	244-065K	245-065K	246-065K *
	54"	244-067K	245-067K	246-067K *

ALL NON STOCK denotes stock *

Special Orders Available
Please measure accurately as all door sales are final

How to Measure for Replacement Windows

There are many ways to measure for a replacement window, but we recommend you measure the rough opening and select the replacement size which is closest to it. For the rough opening of the sizes listed herein add 1/4" to the width and 3/16" to the height.



Series 9900 Vinyl Tilt-Out Windows Horizontal Sliding

Width	Height	Horizontal Sliding		
		Part # .49 Clear	Part # .35 Low-E	Part # .30 Energy Star
46.25"	40"	244-265K	245-265K	246-265K *
62"	40"	244-275K	245-275K	246-275K *

*denotes stock item



Series 18000 Aluminum Vertical Window



Series 18000/19000 Construction Features:

- Large flush mounting flange for easy installation
- Interlocking meeting rails provide additional security and structural performance
- Quality pile weather-stripping at sash head and jambs for maximum weather resistance.
- Soft vinyl bulb gasket for additional weather seal
- Sloped sill and large built-in weep holes for superior drainage
- Jambs notched for multiple opening positions with spring-loaded latches.
- Nylon glides enable easy window sash operation

Width	Height	#19000		#5800	
		Horizontal Slider-Mill	Horizontal Storm-White	HS	HS
14"	14"	240-120K	242-120KW		
	22"	240-121K	242-121KW		
	27"	240-122K	242-122KW		
24"	30"	240-023K			
	14"	240-130K	242-130KW		
	22"	240-131K	242-131KW		
30"	27"	240-132K	242-132KW		
	36"	240-134K	242-134KW		
	40"	240-135K	242-135KW		
	14"	240-140K	242-140KW		
36"	22"	240-141K	242-141KW		
	36"	240-144K			
	14"	240-150K	242-150KW		
40"	22"	240-151K	242-151KW		
	27"	240-152K	242-152KW		
	36"	240-154K	242-154KW		
	40"	240-155K	242-155KW		
	52"	240-156K	242-156KW		
	14"	240-160K	242-160KW		
46"	22"	240-161K	242-161KW		
	27"	240-162K *	242-162KW		
	36"	240-164K	242-164KW		
	40"	240-165K *	242-165KW *		
	52"	240-166K	242-166KW		

Series 19000 Aluminum Horizontal Window



Special Orders Available

Please measure accurately as all window sales are final

NOTE: Glazing, latches, springs, spline, etc available as well call for pricing!

Width	Height	#18000		#5700	
		Vertical Slider-Mill	Vertical Storm-White	VS	VS
14"	22"	240-001K *	242-001KW		
	27"	240-002K *	242-002KW		
	30"	240-003K	242-003KW		
	36"	240-004K	242-004KW		
	40"	240-005K *	242-005KW *		
	52"	240-006K	242-006KW		
24"	53-7/8"	240-007K	242-007KW		
	59"	240-008K	242-008KW		
	22"	240-021K	242-021KW		
	27"	240-022K *	242-022KW		
	30"	240-023K	242-023KW		
	36"	240-024K	242-024KW		
30"	40"	240-025K *	242-025KW *		
	52"	240-026K	242-026KW		
	53-7/8"	240-027K	242-027KW		
	59"	240-028K	242-028KW		
	21-3/4"	240-031K	242-031KW		
	27"	240-032K *	242-032KW *		
36"	30"	240-033K	242-033KW		
	36"	240-034K *	242-034KW		
	40"	240-035K *	242-035KW *		
	52"	240-036K *	242-036KW *		
	53-7/8"	240-037K *	242-037KW *		
	60"	240-038K	242-038KW		
40"	22"	240-041K	242-041KW		
	27"	240-042K	242-042KW		
	30"	240-043K	242-043KW		
	36"	240-044K *	242-044KW *		
	40"	240-045K *	242-045KW *		
	52"	240-046K	242-046KW		
46.25"	53-5/16"	240-047K	242-047KW *		
	60"	240-048K	242-048KW		
	22"	240-051K	242-051KW		
	27"	240-052K	242-052KW		
	30"	240-053K	242-053KW		
	36"	240-054K	242-054KW		
52"	40"	240-055K	242-055KW		
	52"	240-056K	242-056KW		
	53-7/8"	240-057K	242-057KW		
	27"	240-062K *	242-062KW *		
	30"	240-063K	242-063KW		
	36"	240-064K	242-064KW		
53-7/8"	40"	240-065K *	242-065KW *		
	52"	240-066K	242-066KW		
	53-7/8"	240-067K *	242-067KW *		

* denotes stock