





















Hardware

|  |   |   |
|--|---|---|
| <p>Skirting Crimp Tools</p>  <p>440-220 Crimp Tool SL5 Std</p>  <p>440-221 Crimp Tool SL8P Dlx<br/>440-219 Replacement Spring</p>              | <p>Digital Electronic Water Level</p>  <p>Easy, accurate, digital leveling for Manufactured Homes.<br/>Totally sealed, reads in inches and tenths.</p> <p>440-541 Water Level</p>  | <p>Looking for something specific?</p> <p>Give us a call and we'll see what we can do for you!</p>  |
| <p>Pex/Poly Crimp Tools</p> <p>Marshall Brass - Steel Handles</p>  <p>440-200 3/8" Ring<br/>440-202 1/2" Ring<br/>440-204 3/4" Ring</p>  | <p>Gas Pressure Tester</p>  <p>440-540 Pressure Test Kit</p>  | <p>Ask about Our Bargain Bin!</p>   |
| <p>Qest - Full Circle Crimp Tools</p>  <p>Aluminum Handle<br/>440-201 3/8" Ring Qest<br/>440-203 1/2" Ring Qest<br/>440-205 3/4" Ring Qest</p> <p>Small<br/>440-222 3/8" Ring<br/>440-223 1/2" Ring<br/>440-224 3/4" Ring</p> | <p>Smoke Alarms</p>  <p>Battery</p>  <p>120 Vac</p> <p>9 Volt Battery operated or direct wire 120 Vac<br/>300-710 9 Volt (battery incl)<br/>300-711 120 Vac</p> | <p>CO Detector</p>  <p>Battery</p>  <p>120 Vac</p> <p>9 Volt Battery operated or direct wire 120 Vac<br/>300-720 3-AA's (battery incl)<br/>300-721 120 Vac</p> |

Hardware

|  |  |   |
|--|--|---|
| <p>Square Recess Bits</p>  <p>440-300 #1 x 2"<br/>440-301 #1 x 3"<br/>440-302 #2 x 2"<br/>440-303 #2 x 3"<br/>440-304 #2 x 4"<br/>440-305 #2 x 6"</p>  | <p>Magnetic Nut Setters</p>  <p>440-330 1/4" x 1-3/4"<br/>440-331 1/4" x 2-9/16"<br/>440-332 1/4" x 2" Tapered<br/>440-335 5/16" x 1-3/4"</p>                       | <p>Bit Holder</p>  <p>440-346 1/4" Magnetic Bit Holder</p> <hr/> <p>Shank</p>  <p>440-345 1/4" x 2" w/spring pin lock</p> |
| <p>Phillips Bits</p>  <p>440-310 #2 x 2"<br/>440-311 #2 x 2-3/4"<br/>440-312 #3 x 2"</p>   | <p>Torx Insert Bits</p>  <p>440-350 T-10<br/>440-351 T-15</p>                    | <p>Reversible Sockets</p>  <p>440-340 1/4" x 5/8" nonmagnetic<br/>440-341 1/4" x 1" magnetic</p>   |
| <p>Clutch Bits</p>  <p>440-320 #2 - 1/8" x 2"<br/>440-321 #3 - 5/32" x 1-15/16"</p>    | <p>Slotted Bit</p>  <p>440-360 1/4" x 1-1/2"</p>                             | <p>Bit Kit</p>  <p>440-395 29 Piece Bit Kit</p>  |
| <p>Squeak Ender</p>  <p>The Squeak Ender is a revolutionary product designed to eliminate squeaky floors.</p> <p>460-600 Squeak Ender</p>   | <p>Seam Ender</p>  <p>The Seam Ender uniformly draws tongue and groove decking to the joist to eliminate those unsightly seam pops.</p> <p>460-601 Seam Ender</p> | <p>Sag Ender</p>  <p>The Sag Ender is support for those annoying sub-floor sags, dips and weak spots. Joist size doesn't matter, Sag Ender adapts automatically.</p> <p>460-602 Sag Ender</p>              |

| Screws  |        |         |         |          |         |
|---|--------|---------|---------|----------|---------|
| Zinc Plated #8 - Hex Washer Head  |        |         |         |          |         |
|  | Size   | 50      | 1,000   | Case     | Part #  |
|   | 1/2"   | 460-000 | 460-004 | 15,000 / | 460-005 |
|   | 1"     | 460-020 | 460-024 | 8,000 /  | 460-025 |
|   | 1-1/4" | 460-030 | 460-034 | 6,000 /  | 460-035 |
|   | 1-1/2" | 460-040 | 460-044 | 5,000 /  | 460-045 |
|   | 2"     | 460-050 | 460-054 | 3,500 /  | 460-055 |
| White Painted #8 - Hex Washer Head  |        |         |         |          |         |
|  | Size   | 50      | 1,000   | Case     | Part #  |
|   | 1/2"   | 460-100 | 460-104 | 15,000 / | 460-105 |
|   | 3/4"   | 460-110 | 460-114 | 10,000 / | 460-115 |
|   | 1"     | 460-120 | 460-124 | 8,000 /  | 460-125 |
|   | 1-1/4" | 460-130 | 460-134 | 6,000 /  | 460-135 |
|   | 1-1/2" | 460-140 | 460-144 | 5,000 /  | 460-145 |

**Zip-It Fastener**



460-590 Drywall Anchor

**Thumb Screw**



378-001 Brass plated, #8-32 x 5/8"

**Stud Kit**



378-002 #8-30 2" Studs with cap nuts, 2 pack

**Finial Nut**



378-000 White plastic nut

**Rosettes**



White Rosette washer w/screw for fastening ceiling board. Bag of 100  
420-302 Rosette w/Screw

**Roof Rumble Button**



Rumble buttons eliminate roof rumbling. 1 1/8" dia steel washer with neoprene backing for the best roof leak resistance. 500/Ctn

700-900 Rumble Button

**Anchor Kit**



Kit includes: 100 each #8 x 1" screws and 1/4" plastic anchors

460-550 Anchor Kit


**Entrance Locks**



Stainless Steel Finish  
208-004 Lockset with 4-way Plunger

Brass Finish  
208-014 Lockset with 4-way Plunger

**Deadbolts**



Stainless Steel Finish  
208-204 Deadbolt with 4-way Plunger

Brass Finish  
208-214 Deadbolt with 4-way Plunger

**Lock & Deadbolt Set**



Stainless Steel Finish  
208-250 Lock & Deadbolt with 4-way Plunger & Keyed Alike

Brass Finish  
208-260 Lock & Deadbolt with 4-way Plunger & Keyed Alike

**Replacement Latch**



208-404 Plunger f/Lockset 4-way  
208-414 Plunger f/Deadbolt 4-way

**Passage Locks**



Passage lock for interior doors. Plain knob on both sides where no locking is required.  
208-030 Metal, Brass

**Privacy Locks**



Privacy lock for bedroom and bathroom doors. In an emergency, door can be unlocked with a screwdriver  
208-040 Metal, Brass

**Storm Door Hardware**



208-302 Hardware Kit with Chain and Spring  
208-310 Chain and Spring Only  
208-300 Latch w/Brackets Only  
208-301 Closer Plunger w/Brackets Only

**FLEX-MEND™**



133-050 28"x25' Roll Fabric 20/Ctn  
133-055 4" x 180' Tape 12/Ctn  
133-056 6" x 180' Tape 12/Ctn

**Close-Off Film**



400-351 14' x 300' White 6 mil  
400-363 4" x 180' White

**Vapor Barrier**



400-331 20' x 100' Clear 6 mil  
400-333 20' x 100' Black 6 mil













**Bottom Board Material**






























Black woven polyethylene fabric, uncoated  
133-001 14'4" x 70' Roll  
133-010 28" x 100' Roll
















A Do-It-Yourself Bottomboard Repair Kit for home owners. 10 Square Feet 54" x 24" packed with 20 Square Feet 108"x28" of woven polyethylene bottomboard. Allows the home owner to repair small holes, tears and cuts by making patches of Flex-Mend, or to repair large damaged areas where the original bottomboard is missing using the bottomboard replacement material. Then, Flex-Mend can be cut into strips and applied as a tape to seal the uncoated bottomboard patch in place.

133-060 Flex Mend Kit 15/Ctn

| <p><b>Crank Handles</b></p>  <p>1" with screw<br/>248-000 Plastic<br/>248-010 Metal</p> <p>2" with screw<br/>248-001 Plastic<br/>248-011 Metal</p> <p>3" with screw<br/>248-002 Plastic<br/>248-012 Metal</p> | <p><b>Operator</b></p>  <p>248-301 1-1/4" - 1" C to C mounting hole measurements #803<br/>5/16" Square</p>   | <p><b>Operator</b></p>  <p>248-300 1-1/4" - 1" C to C mounting hole measurements #802<br/>3/8" Hex</p> | <p><b>Operator</b></p>  <p>248-303 1" - 11/16" C to C mounting hole measurements #812P</p> |  |       |         |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
|--|---|--|---|--|-------|---------|---|---|---------------|------|--------|-------|------|-------|---------|---------------|------|--------|-------|---|-------|---------|---------------|------|--------|-------|---|-------|--------|----------------|------|--------|---------|-----|-------|--------|---|---|--|
|  |  <p>248-403 #736 L.H.</p>  |  <p>248-412 #759 Unhanded</p>   |  <p>248-402 #735 R.H.</p>  |  |       |         |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
|  |  <p>248-404 #747 R.H.</p>  |  <p>248-413 #1739 R.H.</p>  |  <p>248-400 #808 R.H.</p>  |  |       |         |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
|  | <p><b>Rack Operator</b></p>  <p>248-201 1-25/32" - 2-1/8" C to C hole measurements #800</p>  |  <p>248-405 #761</p>  |  <p>248-410 3/8" #715 R.H.</p>   | <p>Need New<br/><b>Windows?</b><br/>Check out page 22!</p> |       |         |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
|  | <p><b>Hinges</b></p>  <p>HINGES (Pairs)</p> <table border="1"> <thead> <tr> <th>PART #</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr> <td>248-503 #786C</td> <td>3/16</td> <td>2-3/16</td> <td>3-1/8</td> <td>7/16</td> <td>3-3/4</td> <td>W/ STUD</td> </tr> <tr> <td>248-504 #835C</td> <td>3/16</td> <td>2-3/16</td> <td>3-1/8</td> <td>1</td> <td>4-3/8</td> <td>W/ STUD</td> </tr> <tr> <td>248-505 #836C</td> <td>3/16</td> <td>2-3/16</td> <td>3-1/8</td> <td>1</td> <td>4-3/8</td> <td>N/STUD</td> </tr> <tr> <td>248-506 #1707C</td> <td>3/16</td> <td>2-5/32</td> <td>2-15/16</td> <td>1/2</td> <td>3-7/8</td> <td>N/STUD</td> </tr> </tbody> </table> | PART #   | A   | B  | C     | D       | E | F | 248-503 #786C | 3/16 | 2-3/16 | 3-1/8 | 7/16 | 3-3/4 | W/ STUD | 248-504 #835C | 3/16 | 2-3/16 | 3-1/8 | 1 | 4-3/8 | W/ STUD | 248-505 #836C | 3/16 | 2-3/16 | 3-1/8 | 1 | 4-3/8 | N/STUD | 248-506 #1707C | 3/16 | 2-5/32 | 2-15/16 | 1/2 | 3-7/8 | N/STUD | <p><b>Torque Bar Arms</b></p>  <p>248-800 #724PS Square Open End<br/>248-802 #844PS Square Closed End<br/>248-803 #844PT Hex Closed End<br/>248-804 #788P<br/>248-806 #724PT Hex Open End</p> | <p><b>Torque Bar Bearings</b></p>  <p>248-707 #1774 248-708 #784 NYLON<br/>248-720 #1777 Square<br/>248-721 #1778 Round</p> |  |
|  | PART #  | A  | B   | C  | D     | E       | F |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
| 248-503 #786C  | 3/16  | 2-3/16   | 3-1/8   | 7/16   | 3-3/4 | W/ STUD |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
| 248-504 #835C  | 3/16  | 2-3/16   | 3-1/8   | 1  | 4-3/8 | W/ STUD |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
| 248-505 #836C  | 3/16  | 2-3/16   | 3-1/8   | 1  | 4-3/8 | N/STUD  |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |
| 248-506 #1707C   | 3/16  | 2-5/32   | 2-15/16   | 1/2  | 3-7/8 | N/STUD  |   |   |               |      |        |       |      |       |         |               |      |        |       |   |       |         |               |      |        |       |   |       |        |                |      |        |         |     |       |        |   |   |  |

|   |  |  |
|---|--|--|
| <p><b>Miscellaneous Door Parts</b></p>  | <p><b>Bottom Door Sweep</b></p>  <p>400-319 36" for 7660 steel door<br/>400-323 72" for 5210 combo door</p> | <p><b>Strike Plate</b></p>  <p>400-116 Strike Plate</p>   |
| <p><b>Door Surrounds 1-3/8"</b></p> <p>Hinge Side</p>  <p>400-325 84" White</p> <p>Lock &amp; Top Side</p>  <p>400-326 120" White</p> <p>Bottom Side</p>  <p>400-322 36" White</p> | <p><b>Rubber Lock</b></p>  <p>400-304 84" for 5210 door Gray</p>  | <p><b>Interior Door</b></p>  <p>400-114 Hinge, Non-Mortise, 3-leaf</p>  <p>400-131 Hinge, Non-Mortise, Extended leaf</p> |
| <p><b>Drip Caps</b></p>  <p>Extruded aluminum<br/>2-7/8" projection 10/Ctn<br/>420-220 37" Length<br/>420-221 12' Length</p>   | <p><b>Threshold Seal</b></p>  <p>400-305 Seal for 5210 door by foot.</p>                                   | <p>Looking for something specific and not seeing it?</p> <p>Call Sales today to discuss it and we'll see what we can do for you!</p>   |
| <p><b>Teardrop Drip Caps</b></p>  <p>420-222 35" Length<br/>420-223 39" Length</p>   | <p><b>Bulb Seal</b></p>  <p>400-308 Seal for hinge side of 5210 door 80" Length</p>                       | <p>We welcome all questions and inquiries!</p> <p>800-747-7091</p>   |
|   | <p><b>Frame Vinyl</b></p>  <p>400-309 Vinyl Frame for 5140 door by foot.</p>                              |  |

|  |  |   |
|--|--|---|
| <p><b>Miscellaneous Window Parts</b></p> <p><b>Screen Material</b></p>  <p>Roll Qty 100'</p> <p>249-020 36" Wide by Foot<br/>249-021 48" Wide by Foot<br/>249-030 Spline by Foot</p> <hr/>  <p>440-600 Plastic Spline Tool</p>                         | <p><b>Glazing</b></p>  <p>249-000 White Alum 8' Square<br/>249-026 White Alum 12' Cove<br/>249-002 White Vinyl 20' Cove</p> | <p><b>Corner Keys</b></p>  <p>Storm Door &amp; Storm Window Corners (Plastic)</p> <p>249-013 Top LH Swivel<br/>249-018 Top RH Swivel<br/>249-017 Lower</p> |
| <p><b>Screen Frame</b></p>  <p>420-121 VS Mill 7'<br/>420-122 VS Brown 12'<br/>420-123 VS White 7'</p> <p>249-010 Corners, Silver 24/Ctn<br/>249-023 Corners, Black 24/Ctn<br/>249-035 Corners, White 24/Ctn</p>  <p>249-016 Springs, Bag of 24</p> | <p><b>Pivot Bars</b></p>  <p>249-031 Pivot Bars, f/Vinyl</p>  | <p><b>Guide</b></p>  <p>249-006 Sailor HS Windows<br/>249-070 Sash Guide VS</p>  |
| <p><b>Storm Clips</b></p>  <p>248-100 Brown Clip w/Screw<br/>248-101 White Clip w/Screw</p> <hr/>  <p>249-080 Self Storing Storm Clip</p>  | <p><b>Tilt Latch</b></p>  <p>249-081 White Vinyl LH<br/>249-082 White Vinyl RH<br/>249-083 Center Lock Cover</p>           | <p><b>Glide</b></p>  <p>249-060 Glide for VS Insert</p>  |
| <p><b>Slidebolts</b></p> <p>Self Storing Storm Slidebolts</p> <p>249-008 Slidebolt LH #3733<br/>249-009 Slidebolt RH #3732<br/>249-064 Slidebolt Spring</p> <hr/> <p>Storm Door Slidebolts</p> <p>249-072 Storm Door Left<br/>249-073 Storm Door Right</p>   | <p><b>Glass Edge Seal</b></p>  <p>400-316 Glass Edge Seal By Foot</p>   | <p><b>Corners</b></p>  <p>249-011 Corner Silver 24/Ctn F/Torque Windows Lipframe</p>   |

|   |   |               |
|---|---|---------------|
| <p><b>Miscellaneous Parts</b></p> <p><b>Closet Door</b></p>  <p>400-140 Closet Door Track, Dbl</p> <hr/>  <p>400-109 Floor Guide #1044 Adj 3/4" to 1-3/8" doors</p> <hr/>  <p>400-110 2-Way Snugger &amp; Guide</p> <hr/>  <p>400-107 Bi-Fold Top Pivot<br/>400-123 Bi-Fold Bottom Pivot</p> <hr/>  <p>400-106 Bi-Fold Top Pivot #2256</p> <hr/>  <p>400-102 Top Hanger Assembly #2318 f/sliding closet door</p> <hr/>  <p>400-103 Bottom Hanger Assembly #2319 f/sliding closet door</p> <hr/>  <p>400-122 1/2" Offset Beveled Bypass Closet Door #WP9208B</p> | <p><b>Drawer Front Saddle Guide</b></p>  <p>400-009 Drawer Guide</p>         | <p>Notes:</p> |
| <p><b>Front Rollers</b></p>  <p>400-011 Front Roller set, LH &amp; RH</p>  | <p><b>Tilt Out Center Roller</b></p>  <p>400-003 Center Roller, Tilt Out</p> |               |
| <p><b>Cabinet Catch &amp; Clip</b></p>  <p>400-113 Catch and Clip</p>  | <p><b>Mono Rail</b></p>  <p>400-005 24" Track</p>                          |               |
| <p><b>End Socket</b></p>  <p>400-006 End Socket</p> <hr/>  <p>400-007 Guide</p>   |   |               |